

Crediton Congregational Church

Seeking God, Serving people, Sharing hope

Crediton Congregational Church

Youth and Children



Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Analysing the risk

To help analyse risk, Crediton Congregational Church uses a matrix scoring system. Numerical scores are given to the severity and likelihood of risks and these scores are multiplied to get a rating for the risk. This means the risk rating is a measure of the likelihood that harm from a particular hazard will occur, considering the possible severity of such an occurrence.

$$\text{Risk} = \text{Severity} \times \text{Likelihood}$$

For the initial risk evaluation, consider the risks identified as the worst-case scenario before any controls are applied, then evaluate the risk when control measures are implemented.

RISK MATRIX							
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)
	PROBABLE	4		FATAL	4		1-8 = LOW RISK
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1		

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

			FREQUENCY (Environment and Safety)				
CONSEQUENCES	Environment	Safety	Likely 5 Occurs repeatedly, Event expected	Probable 4 Not surprising, will occur several times	Possible 3 Could occur at some time	Remote 2 Unlikely to occur, although conceivable	Improbable 1 So unlikely that probability is close to zero
	Catastrophic 5 National importance, major breach of legislation	Multiple Fatal 5 More than one fatality	25	20	15	10	5
	Very Serious 4 Significant effects, serious breach of legislation	Fatal 4 One fatality	20	16	12	8	4
	Major 3 Significant effects, contained within site	Major Injury 3 RIDDOR notifiable, major injury or over 7 days absence	15	12	9	6	3
	Moderate 2 Effects contained mainly on site, likely to be short lived	Minor Injury 2 Any lost time injury with up to 3 days absence	10	8	6	4	1
	Minor 1 Small to negligible effects	V. Minor Injury 1 Any injury without any significant lost time	5	4	3	2	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Injury sustained from misuse of church furniture. Young People choosing to sit or stand on tables, or climb over them and falling.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- No standing on tables, sitting on the back of chairs or tipping chairs backwards. - Cupboards and shelving units not to be used for any purpose other than storage.	1	1	1
Injury sustained from games or equipment.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Pre-use and post-use Inspection , to be fully checked if any damage occurs. Annual PAT testing. - Supervision by Leader at all times. - Consoles and devices to be positioned against walls or in corners so that cabled areas are not easily accessible, nor necessary as walkways. - A leader is always present in any set of rooms we are using.	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Injury sustained from other young people Chasing or running in the premises, Injury. Solid internal doors being opened with force or slammed, finger trap injury.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Supervision - Such activities are addressed and stopped immediately. - Internal doors wedged or hooked open when both sides are in use. Fire doors must be shut at the end of the activity. - Blinds kept up on external doors to increase visibility. - Limited running activities allowed inside, or outside on hard surfaces – only if sufficient space has been cleared, and all participants are aware of the rules, limitations and boundaries. - CCC6 Youth Trips RA.	1	1	1
Spilled drinks or food increase the chance of a slip and fall. Drinks and a variety of foods are consumed. Spillages.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Bottles to be closed when not in use. - Cans and unfinished food to be moved if left unattended. - Spillages to be mopped up immediately, and packaging to be binned. - Supervision	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Falling on stairs Injury	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- No young people to sit on the stairs. - No running, pushing or other activities on the stairs. - Bannisters provided on both sides. - Carpet improves grip and offers a degree of padding.	1	1	1
Tripping on the balcony. Injury	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Supervision. - Only walking on the balcony – no running, pushing or other activities.	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Entering out-of-bounds spaces. Potential injury from unsafe objects, falling from balcony or other unassessed risks.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Out-of-bounds areas clearly indicated by closed doors, with no lighting on the other side. - Regular briefings to young people not to enter those areas.	1	1	1
Misuse of games equipment (pool cues, table tennis paddles, air hockey paddles). Injury	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Equipment is not to be removed from the relevant table. - Equipment is not to be used for anything other than its intended use (no twirling pool cues, for example). - Damaged equipment to be removed immediately and either repaired or replaced.	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Misuse of scissors (or other sharp items). Injury	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Supervision - Use of age-appropriate items - Clear rules (no running with sharp objects, carried with blades down, passed using handles only, or by placing on a table) - Scissors to remain on a single table where possible.	1	1	1
Insufficient adult supervision Increase likelihood of harm.	Impalement/cuts; Catastrophic bleed, Graze, Minor Bleeds Musculo-skeletal; Paralysis Head Injury; Concussion Skull fracture Hematoma	Staff, Volunteers, Young People	3	3	9	- Minimum of 3 adults supervision, with at least one male and one female leader. OFSTED recommends a ratio of 1:10, which allows for a base capacity of 30 young people, rising with more leaders. - Maximum of 60 young people in the West Wing. - Team checked four days in advance so that absences can be substituted. - Turn away young people if maximum capacity is reached.	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Allergic reaction to food or other substances.	Anaphylactic shock leading to asphyxiation/death.	Staff, Volunteers, Young People	3	3	9	- Supervision - First Aid training for staff and volunteers, minimum of two. - All allergens identified - Where allergies are known, relevant foods are not included as an option to eat or in games. - No young person would be asked to eat anything without knowing what it was (unless for a specific game, in which case an option to not play can always be exercised).	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Allegations or accusations made against team members.	Reputational, Anxiety/Stress	Staff, Volunteers	3	3	9	- Safeguarding policies briefed. - Whenever possible, at least two leaders should be present. When only one adult is available, there should be at least two young people present.	1	1	1
Safeguarding information not communicated to QE team, exposing young people to additional risk of harm.	Reputational, Anxiety/Stress	Staff, Volunteers, Young People	4	4	12	- Safeguarding policies briefed. - Be familiar with the QE safeguarding team, and the appropriate channels of communication. - Any disclosures or other safeguarding information to be reported immediately, before leaving the site.	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Hazard	Risk	Persons at Risk	Risk Level			Control Measures	Residual Risk		
			L	S	DR		L	S	DR
Fire, potential for smoke inhalation, burns or death.	Burns, asphyxiation.	Staff, Volunteers, Young People	3	3	9	- CCC fire risk assessment. - Fire exits kept clear and clearly identified. - In the event of fire, internal doors to have wedges removed so that the doors can be closed to prevent spread of fire. - No smoking, matches or lighters allowed at any projects. - If candles are used as part of an activity, they must be supervised, with an extinguisher available	1	1	1

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16-25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				

Risk Assessment Title:	Youth and Children	Reference:	CCC7
Original Author:	Nick Barton	Date of Assessment:	01/06/2026
Checked By:	Eleanor Herbert	Next Review Date:	01/06/2027

Acknowledgement

I acknowledge this risk assessment presented to me in this document. I am aware of the risks associated with these activity’s. I am aware of the consequences of my actions if I fail to follow the procedures set in place.

Name	Signature	Role	Date

RISK MATRIX									
LIKELIHOOD (L)=	LIKELY	5	SEVERITY (S) =	MULTIPLE FATAL	5	DEGREE OF RISK (DR) = (LIKELIHOOD X SEVERITY)	RESIDUAL RISK RATING (THE LEVEL OF RISK AFTER CONTROL MEASURES HAVE BEEN INTRODUCED)		
	PROBABLE	4		FATAL	4		1-8 = LOW RISK		
	POSSIBLE	3		MAJOR INJURY OR DISEASE	3		9-15 = MEDIUM RISK		
	REMOTE	2		MINOR INJURY OR DISEASE	2		16 - 25 = HIGH RISK		
	IMPROBABLE	1		VERY MINOR INJURY OR DISEASE	1				